



**4 SPEED - FWD
JF403E STORM
LJ4A-EL MILLENIA**

**RE4F04A NISSAN
RE4F04V MAXIMA,ALTIMA
4F20E VILLAGER/QUEST**


**RE/RL4F03A NISSAN
RL4F03V SENTRA
INFINITI G20**




**21 Bolt Pan
JF403E
FK82800
.800 Intake**



**21 Bolt Pan
RL4F03A
FK82800A**




**21 Bolt Pan
RE4F04A
FK82800B**



**21 Bolt Pan
LJ4A-EL
1.100 Intake**

| JF403E | RE/RL4F03A | RE4F04A | LJ4A-EL |
|---|--|---|---------------------------|
| Geo Storm - 4Spd. 90-Up Isuzu Impulse & Gemini - 4 Spd. 90-Up | Sentra - 4 Spd. 8/90-Up Infiniti - G20 90-Up 200SX 95-98 NX 92-93 | Maxima - 4 Spd. DOHC 7/91-Up Altima 92-Up Villager/Quest 93-Up Infiniti, I30 95-98 | Mazda Millenia 2.3L 95-Up |



Front Wheel Drive

REBUILDER KITS

| DESCRIPTION | QTY. | YEAR | DELUXE KIT | MASTER O/H KIT | LESS STEELS KIT | OVERHAUL KIT | GASKET & SEAL KIT |
|---------------------------------|------|-------|------------|----------------|-----------------|--------------|-------------------|
| Rebuilder Kits - JF403E | 1 | 90-Up | K8200-R | K8200 | K8200-LS | K82900 | |
| Rebuilder Kits - RE/RL4F03A (1) | 1 | 91-97 | K8200A-R | K8200A | K8200A-LS | K82900A | |
| Rebuilder Kits - RE4F03A | 1 | 97-Up | | K8200D | K8200D-LS | K82900A | |
| Rebuilder Kits - RE4F04A | 1 | 92-Up | K8200B-R | K8200B | K8200B-LS | K82900B | |
| Rebuilder Kits - LJ4A-EL | 1 | 95-Up | | K8200C | K8200C-LS | K82900 | |

(1) Some 93-Up may require .059 High Steels. Order 82102E separately. Late 97-Up models require a narrower tooth low/reverse friction, 82106C, purchase K8200D.

| ILL. | DESCRIPTION | QTY. | YEAR | PART NO. | REFERENCE NO. |
|------|-------------|------|------|----------|---------------|
|------|-------------|------|------|----------|---------------|

VALVE BODY KITS

| | | | | | |
|-----------------|------------------------------|---|-------|---------|-----------|
| TRANSGO® | | | | | |
| N.I. | Shift Kit® - RE4F03A | 1 | 91-Up | K82908A | SKRE4F03A |
| N.I. | Shift Kit® - RE4F04A/V | 1 | 92-Up | K82908B | SKRE4F04A |

MISCELLANEOUS GASKETS & SEALS/PAN GASKETS

| | | | | | |
|----|--|---|-------|---------|-------------|
| 1B | Gasket - Oil Pan: | | | | |
| | - Fibre - JF403E | 1 | 90-Up | 13972F | 94385731 |
| | - Cork & Neoprene - JF403E | 1 | 90-Up | 13972X | 94385731 |
| | - Fibre - LJ4A-EL | 1 | 95-Up | 13972AF | N.L. |
| | - Fibre - RE/RL4F03A | 1 | 91-Up | 13973F | 31397-31X02 |
| | - Fibre - RE4F04A | 1 | 92-Up | 13974F | 31397-80X01 |
| 2A | Seal - Pump - JF403E, RE4F04A, LJ4A-EL | 1 | 90-Up | 13989A | 94385709 |
| 2A | Seal - Pump - RL4F03A | 1 | 91-Up | 13989 | N.L. |

CLUTCH PLATES

Order Frictions with 'B' prefix for Borg Warner brand, 'R' prefix for Raybestos brand.

| | | | | | |
|-----|--|---|-------|--------|-------------|
| 10C | Friction: | | | | |
| | - Reverse - JF403E, RE4F04A, LJ4A-EL | 2 | 90-Up | 82100 | 94385871 |
| 10C | - Reverse - .077-18T - RE/RL4F03A | 2 | 91-Up | 82100A | 31532-31X00 |
| 12D | Friction: | | | | |
| | - High - 20T - JF403E | 4 | 90-Up | 82103 | 94385851 |
| 12D | - High - 21T - Wide - To 6/94 - RE4F04A, LJ4A-EL | 4 | 92-94 | 82103A | 31532-80X05 |
| 12D | - High - 24T - Narrow - From 7/94 - RE4F04A, LJ4A-EL | 4 | 94-Up | 82103D | 31532-80X10 |
| 12D | - High - Model GA-16 - 20T - Narrow - RE/RL4F03A | 3 | 91-Up | 82103B | 31532-31X01 |
| 12D | - High - Model SR-20 - 20T - Wide - RE/RL4F03A | 4 | 91-Up | 82103C | 31532-31X08 |

RL/RE4F03A, 4A

| ILL. | DESCRIPTION | QTY. | YEAR | PART NO. | REFERENCE NO. |
|---|---|------|-------|-----------------|---------------|
| CLUTCH PLATES (Cont.) | | | | | |
| | Friction: | | | | |
| 14F | - Forward - .063 - JF403E, RE4F04A | 5 | 90-Up | 82104 | 94385824 |
| 14F | - Forward - .071-30T - RE/RL4F03A | 5 | 91-Up | 82104A | 31532-31X02 |
| 14F | - Forward - .055 - LJ4A-EL | 6 | 95-Up | 82104B | FX01-19-590A |
| | - Low & Reverse - .062 - JF403E, LJ4A-EL | 7 | 90-Up | 82106 | 94385692 |
| 16G | - Low & Reverse - 5.430 Inside Diameter Notch-to-Notch - RE/RL4F03A | 5 | 91-97 | 82106A | 31532-31X04 |
| 16G | - Low & Reverse - 5.465 Inside Diameter Notch-to-Notch - RE4F03A | 5 | 97-Up | 82106C | 31532-31X10 |
| 16G | - Low & Reverse - .071 - RE4F04A | 7 | 92-Up | 82106B | 31662-80X02 |
| | Friction: | | | | |
| 18F | - Overrun - JF403E, RE4F04A, LJ4A-EL | 3 | 90-Up | 82108 | 94385834 |
| 18F | - Overrun - .063-18T - RE/RL4F03A | 3 | 91-Up | 82108A | 31532-31X03 |
| | Steel: | | | | |
| 11C | - Reverse - JF403E, RE4F04A, LJ4A-EL | 2 | 90-Up | 82101 | 94385872 |
| 11C | - Reverse - .079-30T - RE/RL4F03A | 2 | 91-Up | 82101A | 31536-31X05 |
| | Steel: | | | | |
| 13D | - High - .086 - JF403E | 1 | 90-Up | 82102 | 94385852 |
| 13D | - High - .080 - JF403E | 6 | 90-Up | 82102A | 97043655 |
| 13D | - High - .079 - RE4F04A, LJ4A-EL | 1 | 92-Up | 82102B | 31536-80X04 |
| 13D | - High - .056 - RE4F04A, LJ4A-EL | 6 | 92-Up | 82102C | 31536-80X05 |
| 13D | - High - .079-18T - RE/RL4F03A | 5/6 | 91-Up | 82102D | 31536-31X01 |
| 13D | - High - .059 - RE/RL4F03A | 5/6 | 93-Up | 82102E | 31536-31X07 |
| | Steel: | | | | |
| 15F | - Forward - .071 - JF403E, RE4F04A | 5 | 90-Up | 82105 | 94385825 |
| 15F | - Forward - .079-30T - RE/RL4F03A | 5 | 91-Up | 82105A | 31536-31X02 |
| 15F | - Forward - .055 - LJ4A-EL | 6 | 95-Up | 82105B | FX01-19-561 |
| | Steel: | | | | |
| 17G | - Low & Reverse - .071 - .580 Wide Teeth - JF403E | 7 | 90-Up | 82107 | 94385691 |
| 17G | - Low & Reverse - .080-10T - RE/RL4F03A | 5 | 91-Up | 82107A | 31666-31X01 |
| 17G | - Low & Reverse - .071 - .550 Wide Teeth - RE4F04A, LJ4A-EL | 5 | 91-Up | 82107B | 31666-80X00 |
| | Steel: | | | | |
| 19F | - Overrun - JF403E, RE4F04A, LJ4A-EL | 5 | 90-Up | 82109 | 94387815 |
| 19F | - Overrun - .079-6T - RE/RL4F03A | 5 | 91-Up | 82109A | 31536-31X03 |
| FILTERS/FILTER KITS | | | | | |
| Order Filter Kits with 'FK' prefix for Cork & Neoprene, 'FFK' prefix for Fibre. | | | | | |
| N.I. | Filter Kits: | | | | |
| | - JF403E | 1 | 90-Up | FK82800 | N.L. |
| | - RE/RL4F03A | 1 | 91-Up | FK82800A | N.L. |
| | - RE4F04A | 1 | 92-Up | FK82800B | N.L. |
| 25B | Filters: | | | | |
| | - JF403E - .800 intake | 1 | 90-Up | 82800 | 94385937 |
| | - RE/RL4F03A | 1 | 91-Up | 82800A | 31728-31X01 |
| | - RE4F04A | 1 | 92-Up | 82800B | 31728-80X03 |
| | - RE4F04A - 1.200 Intake | 1 | 02-Up | 82800D | 31728-85X01 |
| | - LJ4A-EL - 1.100 intake | 1 | 95-Up | 82800C | FX01-19-815 |
| BRAKE BANDS | | | | | |
| Order NEW Brake Bands with 'B' prefix for Borg Warner brand, 'R' prefix for Raybestos brand. | | | | | |
| 30C | Brake Bands: | | | | |
| | - JF403E, LJ4A-EL 95-Up | 1 | 90-Up | 82700 | 94385793 |
| | - RE/RL4F03A - w/o Tab | 1 | 91-99 | 82700A | 31630-31X01 |
| | - RE/RL4F03A - w/ Tab | 1 | 00-Up | 82700C | 31630-31X03 |
| | - RE4F04A | 1 | 92-Up | 82700B | 31630-80X02 |

| ILL. | DESCRIPTION | QTY. | YEAR | PART NO. | REFERENCE NO. |
|-------------------------|--|------|-------|---------------|---------------|
| METAL CLAD SEALS | | | | | |
| 35A | Oil Pump Seal: | | | | |
| | - 42x59x7.7mm - JF403E, RL4F03A, LJ4A-EL | 1 | 90-Up | 82200 | 97031954 |
| | - 44x59x6.8mm - RE4F04A | 1 | 92-Up | 82200A | 31375-80X00 |
| N.I. | Axle Seal: | | | | |
| | - Left & Right 35x54.03x8 - JF403E | 2 | 90-Up | 65201A | 97070182 |
| | - Left & Right - LJ4A-EL | 2 | 95-Up | 65201 | F003-27-238A |
| | - Left - RE4F04A | 1 | 92-Up | 82202 | 38342-03E00 |
| | - Left (Viscous) - RE4F04A | 1 | 92-Up | 82202A | 38342-80X00 |
| | - Right - RE4F04A | 1 | 92-Up | 68201 | 38342-03E01 |
| | - Left & Right - Model GA-16 Only - Left 2.0L Non Viscous - RE/RL4F03A | 2 | 91-Up | 82202B | 38342-31X00 |
| | - Left - Model SR-20 Only - Viscous - RE/RL4F03A | 1 | 91-Up | 82202C | 38342-31X02 |
| | - Right - Model SR-20 Only - RE/RL4F03A | 1 | 91-Up | 82202D | 38342-31X01 |
| N.I. | Speedometer - RE/RL4F03A | 1 | 90-Up | 45205A | 32709-58500 |
| N.I. | Manual Lever | 1 | 90-Up | 50203 | 31375-31X01 |

| BUSHINGS | | | | | |
|-----------------|-------------------------|---|-------|----------------|------|
| N.I. | Bushing Kit - Complete: | | | | |
| | - JF403E Storm | 1 | 90-Up | K82901 | N.L. |
| | - RE/RL4F03A | 1 | 91-Up | K82901A | N.L. |
| | - RE4F04A | 1 | 92-Up | K82901B | N.L. |

| SEALING RINGS/RING KITS | | | | | |
|---|----------------------------------|---|-------|----------------|------|
| Order Sealing Rings with 'T' suffix for Teflon. | | | | | |
| N.I. | Sealing Ring Kit: | | | | |
| | - JF403E, RE4F04A, LJ4A-EL | 1 | 90-Up | K82300 | N.L. |
| | - RE/RL4F03A | 1 | 90-Up | K82300A | N.L. |

HARD PARTS

Hard Parts may only require the base number for OEM/Aftermarket New. A "N" suffix may also be required or a "-R" suffix for remanufactured. Exceptions are listed individually.

NOTE: A separate column is provided to indicate a primary or specific brand/type.

| ILL. | DESCRIPTION | BRAND | QTY. | YEAR | PART NO. | REFERENCE NO. |
|------|---------------------------------|-------|------|-------|---------------|---------------|
| 40E | Roller - Low Clutch: | | | | | |
| | - JF403E, RE4F04A | | 1 | 90-Up | 82960 | 94385749 |
| | - SR20 only - RE/RL4F03A | | 1 | 91-Up | 82960A | 31473-31X01 |
| | - GA16 only - RE/RL4F03A | | 1 | 91-Up | 82960B | 31473-31X00 |
| 41E | Sprag - Input Clutch: | | | | | |
| | - JF403E | | 1 | 90-Up | 82940 | 94385751 |
| | - SR-20 only - RE/RL4F03A | | 1 | 91-Up | 82940A | 31484-31X01 |
| | - GA-16 only - RE/RL4F03A | | 1 | 91-Up | 82940C | 31484-31X00 |
| | - RE4F04A | | 1 | 92-Up | 82940B | N.L. |
| 50A | Pump - Complete: | | | | | |
| | - JF403E | R | 1 | 90-Up | 82920 | N.L. |
| | - RE/RL4F03A | R | 1 | 91-Up | 82920B | N.L. |
| | - RE4F04A | R | 1 | 92-Up | 82920D | N.L. |
| | - LJ4A-EL | R | 1 | 95-Up | 82920F | N.L. |
| 52C | Drum - Reverse: | | | | | |
| | - JF403E | | 1 | 90-Up | 82923 | N.L. |
| | - RE/RL4F03A | | 1 | 91-Up | 82923B | N.L. |
| | - RE4F04A | | 1 | 92-Up | 82923D | N.L. |
| | - LJ4A-EL | | 1 | 95-Up | 82923F | N.L. |

RL/RE4F03A, 4A

| ILL. | DESCRIPTION | BRAND | QTY. | YEAR | PART NO. | REFERENCE NO |
|----------------------------|--|-------|------|-------|----------------|--------------|
| HARD PARTS (Cont.) | | | | | | |
| 55D | Drum - High - w/ Input: - JF403E | | 1 | 90-Up | 82925 | N.L. |
| | - RE/RL4F03A - w/ 5 3/16" Input | | 1 | 91-Up | 82925B | N.L. |
| | - RE/RL4F03A - w/ 5 3/8" Input | | 1 | 91-Up | 82925E | N.L. |
| | - RE4F04A | | 1 | 92-Up | 82925D | N.L. |
| | - LJ4A-EL | | 1 | 95-Up | 82925F | N.L. |
| 57D | Hub - High: - JF403E | R | 1 | 90-Up | 82927 | N.L. |
| | - Narrow Spline - 1.6L - RE/RL4F03A | R | 1 | 91-Up | 82927B | N.L. |
| | - Wide Spline - 2.0L - RE/RL4F03A | R | 1 | 91-Up | 82927C | N.L. |
| | - Wide Spline - RE4F04A (To 6/94) | R | 1 | 92-94 | 82927D | N.L. |
| | - Narrow Spline - RE4F04A (7/95-Up) | R | 1 | 95-Up | 82927E | N.L. |
| | - LJ4A-EL | R | 1 | 95-Up | 82927F | N.L. |
| 59E | Planet - Front: - JF403E | R | 1 | 90-Up | 82950 | N.L. |
| | - RE/RL4F03A | R | 1 | 91-Up | 82950B | N.L. |
| | - RE4F04A | R | 1 | 92-Up | 82950D | N.L. |
| | - LJ4A-EL | R | 1 | 95-Up | 82950F | N.L. |
| 60E | Planet - Rear: - JF403E | R | 1 | 90-Up | 82955B | N.L. |
| | - RE/RL4F03A | R | 1 | 91-Up | 83955D | N.L. |
| | - RE4F04A | R | 1 | 92-Up | 82955 | N.L. |
| | - LJ4A-EL | R | 1 | 95-Up | 82955F | N.L. |
| 61E | Ring Gear - w/ Inner Race: - JF403E | R | 1 | 90-Up | 82972 | N.L. |
| | - RE/RL4F03A | R | 1 | 91-Up | 82972B | N.L. |
| | - RE4F04A | R | 1 | 92-Up | 82972D | N.L. |
| | - LJ4A-EL | R | 1 | 95-Up | 82972F | N.L. |
| 64F | Drum - Forward - w/Pistons: - JF403E | R | 1 | 90-Up | 82929 | N.L. |
| | - RE/RL4F03A - w/Wide Tooth Low/Reverse Friction | R | 1 | 91-97 | 82929B | N.L. |
| | - RE4F03A - w/Narrow Tooth Low/Reverse Friction | R | 1 | 97-Up | 82929C | N.L. |
| | - RE4F04A | R | 1 | 92-Up | 82929D | N.L. |
| | - LJ4A-EL | R | 1 | 95-Up | 82929F | N.L. |
| 66B | Valve Body: - JF403E | R | 1 | 90-Up | 82990 | N.L. |
| | - RL4F03A - 2 Solenoid Design | R | 1 | 91-Up | 82990B | N.L. |
| | - RE4F03A - 5 Solenoid Design | R | 1 | 93-Up | 82990E | N.L. |
| | - RE4F04A - 1st Design Connector | R | 1 | 92-00 | 82990D | N.L. |
| | - RE4F04A - 2nd Design Connector | R | 1 | 00-Up | 82990F | N.L. |
| | - LJ4A-EL | R | 1 | 95-Up | 82990G | N.L. |
| N.I. | Planet Package: - JF403E | R | 1 | 90-Up | K82950 | N.L. |
| | - RE/RL4F03A | R | 1 | 91-Up | K82950B | N.L. |
| | - RE4F04A | R | 1 | 92-Up | K82950D | N.L. |
| | - LJ4A-EL | R | 1 | 95-Up | K82950F | N.L. |
| N.I. | Gear - Governor - RE/RL4F03A | | 1 | 91-Up | 82921 | N.L. |
| N.I. | Reverse Drum - Snap Ring - RE4F04A | | 1 | 92-Up | 82924D | 31506-80X12 |
| ELECTRICAL PRODUCTS | | | | | | |
| N.I. | Solenoid: RL4F03A - 1.6L - L/U, 3-4 - 2 Solenoids | | 1 | 91-94 | 5A-139 | 31940-31X01 |
| | RL4F03A - 1.6L - L/U, 3-4 - 2 Solenoids | | 1 | 95-98 | 5A-140 | 31940-31X03 |
| | RL4F03A - 2.0L - L/U, 3-4 - 2 Solenoids | | 1 | 91-92 | 5A-139 | 31940-31X01 |

